



Networking product catalogue / 2025



TABLE OF CONTENTS

Company

Who we are	4
What we offer	5
Holistic approach	6

Systems

RutOS	8
TswOS	10
RMS	12

Routers

14
16
18
20
22
24
26
28
30
32
34
35
37
38

Gateways

	TRB1 Series	40
	TRB2 Series	42
	NTP001	44
-	TRB500	45

Ethernet switches

TSW0 Series	46
TSW1 Series	48
TSW2 Series (Unmanaged)	50
TSW2 Series (Managed)	52
TSW304	54
TSF010	55

Modems

TI	RM2 Series	56
TI	RM500	57

Access points

TAP Series	58
DAP Series	60

Accessories

Outdoor antennas	62
Powering options	64
Antenna options	66
Mounting options	67
Other	68

Device comparison

Routers	69
Gateways	72
Modems, access points	73
Ethernet switches	74

WHO ARE WE?

Teltonika creates IoT connectivity equipment for the IoT world of tomorrow. With over 25 years of market expertise, we bring our vision and expertise to create products of seamless connectivity, simple integration, and remote management capabilities for industrial solutions worldwide.



Mission

Our exceptional skills in being a fast and flexible partner reflect our needs to be closer to our clients in every world region. Long-standing experience, reliable supply chain, highest technology process models stand for our ability to produce millions of IoT devices to our clients.

Vision

We aspire to become one of the global leaders of providing unique IoT solutions that contribute to making people's lives easier. We are open-minded to conclude the environment to the creative, ambitious work professional in Lithuania and the rest of the world to grow and contribute towards our Mission.

Values

We not only work but also live to help and share kindness to the people, especially to those who need our help the most. We are keeping our values by continuously and courageously creating synergy between Teltonika and business partners, as well as clients.

WHAT WE OFFER?

Our industrial routers, gateways, Ethernet switches, access points, modems, and remote management system are made with engineer

GROWING PORTFOLIO



Reliable

Industrial-grade networking devices designed for durability and uninterrupted connectivity in the most rigorous environments.

Secure

Maximum security ensured by regular safety audits, firmware updates, and vulnerability management by our dedicated cybersecurity team.

needs, mindset, and workflow in mind. These reliable networking equipment are made to last, perform, and bring your IoT vision to life.

Easy to use

High in simplicity and functionality, our products are engineered for professional applications without requiring any special training.

HOLISTIC APPROACH

From concept to finished product, our networking products are designed, developed, and manufactured in-house in our manufacturing facility in Lithuania, guaranteeing the highest European quality with maximum flexibility.



8 cutting-edge SMT lines

100+ automation robots

Millions of products produced yearly

Expertise

Over 25 years of market expertise in reliably enabling industrial IoT and M2M solutions worldwide.

Flexibility

Highly customisable products that adapt to your solution's needs.

Assurance

Full and precise quality assurance in every step of production thanks to in-house design, development, and manufacturing.



RUTOS

OpenWRT-based Linux OS designed for engineer ease of use, customisability, and efficient workflow

Reliable

Enhanced uninterrupted connectivity and protocol support for your IoT needs

Secure

Full of security features and failsafes to ensure maximum device and network security

TELTONIKA

Easy to use

Streamlined and customisable UX for simple yet comprehensive management

Mobile	
Mobile modes	Bridge, Passthrough, NAT
Mobile features	Auto SIM switching, SMS & call co
Mobile communication control	Operator black/white list (by cour
Wireless	
Wireless modes	Access point (AP), station (STA), management (802.11v), radio reso
Vireless security	WPA2-Enterprise - PEAP, WPA2-F TKIP, auto-cipher modes, client s
Network	
Connection monitoring	Ping reboot, Wget reboot, periodi
Networking	VoIP passthrough support, conne network topology, DHCP, QoS / S balancing, hotspot, SSHFS, VRF s
Routing	Static routing, dynamic routing (B
Security	
Security basics	Preconfigured and customisable
VPN and tunneling	OpenVPN, IPsec, GRE, PPTP, L2T
Authentication	Pre-shared key, digital certificate time-based login blocking, built-in
Services	
Time sync services	NTP (server, client), GNSS, Mobile
Other services	Data to server, I/O control, locatio
Industrial protocols	MODBUS (supported connection ty
Communication & monitoring	JSON-RPC, MQTT (broker, publish
Serial modes	Console, serial and M-Bus over IF
USB services	Samba share, USB-to-serial, stor
3rd party cloud support	Azure IoT Hub, AWS IoT Greengra
Customisation	
RutOS developed on	Open-WRT based Linux OS
Supported languages	Busybox shell, Lua, C, C++, Pytho
Development tools	Software development kit with a
OS languages	English, German, Spanish, Portug

ontrol, SMS relays, SIM idle protection, framed routing

ntry or separate operators), band lock, auto APN, multiple PDNs, USSD

, wireless mesh (802.11s), fast roaming (802.11r), Relayd, BSS transition source measurement (802.11k)

-PSK, WPA-EAP, WPA-PSK, WPA3-SAE, WPA3-EAP, OWE; AES-CCMP, separation, EAP-TLS with PKCS#12 certificates, disable auto-reconnect

dic reboot, LCP and ICMP for link inspection

ection monitoring, firewall, firewall status page, ports management, Smart Queue Management (SQM), DDNS, Network backup, load support

BGP, OSPF v2, RIP v1/v2, EIGRP, NHRP), policy-based routing

firewall, web filtering, DMZ, user control, firewall status

TP, Stunnel, DMVPN, SSTP, ZeroTier, WireGuard, Tinc, Tailscale

es, X.509 certificates, TACACS+, Radius, IP & login attempts block, -in random password generator

ile operator

ion services, WoL, network topology

ypes RTU (RS232, RS485), TCP, USB), BACnet, DNP3, M-Bus, OPC UA, DLMS

sher, subscriber, Azure MQTT, Kinesis), SNMP, SSH, TR-069, WEB UI, CLI

P, modem, Modbus gateway, NTRIP

rage memory expansion, printer server, DLNA

rass, Cloud of Things, Cumulocity, ThingWorx

non, Java

build environment

guese, Japanese, Turkish

TSWOS

OpenWRT-based Linux OS designed for easy and comprehensive managed switch workflow



Seamless

Numerous DHCP options for enhanced network stability and control

Secure

Comprehensive authentication features for enhanced security and access control Reliable

Remote port management, ensuring uninterrupted network performance

Services

Supported protocols	EtherNet/IP, Profinet (class B), SNI
Network management	802.1p CoS, 802.1x port-based net

Network

MRP	MRP client/server
L2 features	Loop protection, forwarding table,
L3 features	Static IPv4 routing, static IPv6 rou
DHCP	DHCP client/server, static leases,
Port settings	Enable/disable, link speed control mirroring

Security

Authentication

PAM, Radius & TACACS+, IP & login attempts block

QoS

QoS	Port priority, DSCP priority, 802.1p
Scheduling	SP/WFQ/WRR
Bandwidth control	Rate limiting, storm control
Traffic shaper	Port-based shaping

Diagnostics

-	
Tools	Cable diagnostic, ping, traceroute,
Ping reboot	Port-specific PoE reboot

NMP V2, V3, LLDP, and more

etwork access control, 802.1Q VLAN

e, VLAN, STP/RSTP

outing, DHCPv6 client, static IPv6 address

, and MAC with wildcards

ol, port isolation, PoE management, EEE (802.3az) management, port

1p priority, ToS

e, nslookup



User-friendly platform for remotely accessing and controlling your fleet of devices, tailor-made to meet your remote IoT solution needs

Access

Easy remote access to your devices – no public IP needed

Unite

Unified platform with multitenancy capabilities

Customise

Adaptable interface and functionality to best fit your needs

Integrate API support for

C HASEL & SMAR

WINNO 6 14 Sun-

integrating RMS into your solution

Management

Gain complete and secure control over your fleet of Teltonika networking devices—no public IP needed

Connect

Secure your entire remote with robust VPN connections

Security

Developed in-house, RMS ensures secure communication and data integrit set by the European Union

Hosting

Hosted on AWS: a leading cloud server synonymous with security, scalability, and high availability

Applications

RMS VPN for direct VPN access and automatic client syncing

Mobile app for iOS and Android

Teltonika ID for two-factor authentication

Pricing

Long-term or flexible licensing options for modular and cost-effective pricing

Customisation

Adapt RMS to your solutions using custom control functions, alerts, and automation schemes

Capabilities

Full management capabilities of supported Teltonika networking devices, including remote onboarding, custom alarms, firmware updates, automatic backups, performance analysis, and more

Secure and direct access to third-party devices via RMS Connect or VPN

Availability

RMS is free to start: creating an RMS account, adding Teltonika networking devices, and testing its capabilities can all be done free of charge

VPN

infrastructure quickly and easily

Reach and remotely control your end devices connected to RMScompatible devices

y	by	adhering	to	the	strictest	privacy	and	cybersecurity	standards



NAT functionality Perfect for network segmentation

Connectivity

2 × 10/100 Mbps Ethernet ports, Wi-Fi 4



Compact, easy, and affordable



Compact & tailor-made for RS232 communication

IDEAL FOR

access

Production line connectivity

Easy connection of each production line to a separate network, enhancing security, optimising traffic, and ensuring smooth data flow

Legacy equipment connectivity



RUT1 SERIES

Flawless network segmentation

Power input

1 × 3-pin tailored for industrial use

Quick & easy

Simple installation with an Integrated DIN rail bracket

Network segmentation

Acting as boundary devices for isolated networks within an existing infrastructure, ensuring both network security and controlled external

Easy connection of legacy equipment, including CNC machines, PLCs, medical equipment, and more

3-PIN CONNECTOR INCLUDED



Single-SIM LTE

4G LTE, backward compatible with 3G

WAN failover

Automatically switches to an available backup connection

RUT200

Affordable Cat 4 all-star for select regions



Industrial Performer with Seamless eSIM[™] Connectivity



IDEAL FOR

businesses

reliable connectivity

SINGLE-SIM CELLULAR ROUTERS **RUT2 SERIES**

Seamless cellular connectivity for everyday solutions

16

Interfaces

2 × 10/100 Mbps Ethernet ports, digital I/Os

Wi-Fi

2.4 GHz (b/g/n), wireless AP with hotspot

POS systems

Seamless connectivity in retail, restaurants, hotels, or any mobile

Digital service hubs

Reliable connectivity for digital signage displays and interactive selfservice terminals, such as parcel or vending machines

Mobile and temporary deployments

Ideal for construction sites, events, or emergencies requiring quick and

#1 CHOICE FOR SOLUTIONS WORLDWIDE



Compact & versatile

IDEAL FOR

Industrial automation

Easy connection to industrial equipment, including PLCs, sensors, and more

Smart traffic control

Active & passive PoE for simplified installation with reduced cabling

Renewable energy & utilities

Support of key interfaces and protocols for seamless equipment connection



ENDLESS USE CASES

Explore the catalogue now!



LTE Cat 4

FEATURES

4G, backward compatible with 3G/2G

Interfaces Ethernet, RS232 & RS485

10 had







Comprehensive cellular & Ethernet capabilities

COMMON FEATURES

VPN support

GRE, PPTP, L2TP, Stunnel, DMVPN, SSTP, ZeroTier, Tinc & more

RMS

Compatible with our Remote Management System



RUT361

Ethernet connectivity with

versatile interfaces

361° of LTE Cat 6

& Wi-Fi connectivity

IDEAL FOR

Sustainable energy

Smart agriculture

systems



Configurable I/Os

2 x configurable digital I/Os

Durable

Rugged aluminium housing withstanding -40 °C to 75 °C

Easy monitoring of wind turbines, solar panels, and other infrastructure in remote, rural, or offshore locations

Smart city applications

Reliable connectivity for CCTV cameras, traffic management systems, billboards, digital signage, retail applications, and more

Seamless connectivity for remote farm management, from monitoring crops and livestock to automated feeding and controlling climate

> **EXPERT** REMOTE MANAGEMENT



Dual-SIM

With auto-failover and backup WAN

LTE Cat 4

4G, backward compatible with 3G/2G





All-reliable cellular router for select regions

All-reliable cellular router with PoE+



Master of interfaces for select regions, including RS232 and RS485

Master of interfaces available globally, including RS232 and RS485

VERSATILE INTERFACES, **UNLIMITED POTENTIAL**



*RUT901 & RUT951

Dual-SIM for uninterrupted connectivity

22

Ethernet

4 × 10/100 Mbps Ethernet ports

Wi-Fi

2.4 GHz (b/g/n), wireless AP with hotspot

RUT956

IDEAL FOR

Industrial applications

Designed for reliable performance in industrial environments, including wide protocols support and DIN rail mounting

Remote monitoring & management

Seamless connectivity for remote applications, including pop-up stores, precision machinery, remote mining operations, and mobile agricultural equipment



*RUT906 & RUT956



Gigabit Ethernet

4 x ports with up to 128 supported port/tag-based VLANs

Ethernet connectivity with

4x Gigabit Ethernet

Interfaces

Including digital I/Os & USB

RUTM08 RUTM10

Ethernet connectivity with Dual-Band Wi-Fi

RUTM09



Wired-only Cat 6 connectivity

Cat 6 with Dual-Band Wi-Fi

TELTONIKA	TELTONIKA	TELTONIKA	ТЕСТОНИКА
		RUTM10	RUTM11
-			

RUTH ROUTERS

For power, speed & versatility

VPN

Including OpenVPN, IPsec, PPTP, L2TP & DMVPN

RMS

Compatible with our Remote Management System

10 11

IDEAL FOR

Urban development

Secure and stable connectivity for surveillance systems, traffic monitoring, elevator systems, and other urban spaces and applications

Enterprise

Reliable Internet access combined with VPN support, traffic management, and other advanced features ensuring smooth operation and security



YOUR MULTITOOL FOR NETWORKING MASTERY



Connectivity

4G cellular, Ethernet & wireless routers

Interfaces

Including Gigabit Ethernet, digital I/Os & USB



Dual Cat 6 modems with simultaneous connections

Wired-only Cat 6 connectivity

Cat 12 with up to 600 Mbps

RUTX10 Ethernet connectivity with

RUTXR1

Rack-mountable Cat 6 with SFP port & dual power supply

Bluetooth and Dual-Band Wi-Fi



Cat 6 with Bluetooth and Dual-Band Wi-Fi

DUAL MODULES, SINGULAR BRILLIANCE

RMS

Compatible with our Remote Management System

RutOS

Feature-rich operating system with advanced security features

RUTX12

IDEAL FOR

Retail

Seamless connectivity for POS systems, interactive kiosks, self-service and parcel terminals, vending machines, and more

Public transportation

Reliable wireless connectivity for personnel, passengers, and on-board devices such as GPS trackers, ticketing terminals, and more





RedCap 5G

Low latency, high capacity, affordable pricing

Future-proofing

Backward compatible with 4G LTE Cat 4



Compact & affordable 5G RedCap



5G RedCap master of interfaces

IDEAL FOR

Private networks

Balancing costs, performance, and efficiency while retaining the advantages of 5G technology

Industrial IoT applications

Enabling low-latency connections for industrial machines, sensors, and devices needing reliable communication with minimal data throughput.

Smart city

REDCAP SERIES

Higher Flexibility & Lower Cost

Wi-Fi

Wireless access point with hotspot functionality

WAN failover

Automatic switching to available backup connection

Optimised surveillance cameras, street lighting, parking sensors, traffic management systems, and other smart city applications.

ENTER A REDCAP 5G WORLD



5G

over 3 Gbps

Ultra-high cellular speeds

industrial applications

Dual-SIM

Auto-failover, backup WAN, and other switching scenarios



5G router with a US-made Telit modem

RUTM55

5G router for seamless serial

RUTM50

5G powerhouse for the North American and Japanese markets

RUTM51 MVP of 5G affordability



integration

Always-on 5G connectivity



HARNESS THE POWER OF 5G NETWORKS

SA & NSA

Supports both 5G architectures

Future-proofing

Backward compatible with 4G (LTE Cat 12, 19, 20) and 3G



IDEAL FOR

Mobile & temporary deployments

Pop-up stores, event venues, outdoor festivals, construction sites, and other locations requiring reliable and guick-todeploy connectivity

Industrial applications

Future proof manufacturing plants with ultra-high 5G cellular speeds, redundancy with dual SIM & eSIM, and RS232/RS485 serial interfaces, ensuring seamless integration of legacy equipment



COMPACT 5G ROUTERS **RUTM3 SERIES**

5G Connectivity in a Compact Form

COMMON FEATURES

Connectivity 5G, 4G, 3G

Dual-SIM

With auto failover, backup WAN, and other switching scenarios



Your compact 5G router with eSIM™



Your cost-efficient 5G router

IDEAL FOR Industrial IoT

Digital service hubs



*Depends on the order code.



Seamless connectivity with eSIM[™] SGP.22

SA & NSA

Supports both architectures to leverage the 5G infrastructure

enabling low-latency connections for industrial machines, sensors, and devices needing reliable communication.

Connectivity for digital signage displays and interactive self-service terminals, such as parcel or vending machines.

Intelligent transportation systems

Reliable connectivity for smart traffic lights, surveillance systems, traffic monitoring and management.



SMALLEST **5G ROUTER IN OUR PORTFOLIO**



Your 5G wireless multitool

IDEAL FOR

Public transportation

Reliable wireless connectivity for personnel, passengers, and on-board devices such as GPS trackers, ticketing terminals, and more

Pop-up events

Reliable connectivity in pop-up events and uninterrupted event streaming capabilities

Smart city applications

Reliable connectivity for CCTV cameras, traffic management systems, billboards, digital signage, retail applications, and more

FEATURES

5G

Ultra-high cellular speeds of up to 3.4 Gbps

Wi-Fi 6

Dual-band multi-user MIMO wireless capabilities



processing 1GB RAM and 8GB flash for

edge computing applications

Dual-SIM & eSIM[™]

eSIM

With auto-failover, backup WAN, and other switching scenarios

RUTM52

Dual 5G for ultra-high speeds



FEATURES

Dual 5G modems

Double the cellular speeds and always-on connection

Dual-SIM & eSIM[™]

With auto failover, backup WAN and other switching scenarios

SA & NSA

Supports both 5G architectures

Future-proofing

Backward compatible with 4G (Cat 20)

RATHER WATCH?

Explore our YouTube channel





RUTM56

Dual modem router

IDEAL FOR

First responders

Provides resilient communication for mobile command centres and vehicles. Its 5G high-bandwidth capabilities, with essential fallback to 4G, 3G, and 2G, ensure continuous coordination and critical data access even in compromised or challenging conditions

Remote areas

Ensures essential connectivity for safety and operational efficiency in challenging remote environments. Provides stable and reliable network support for modern systems, leveraging critical 2G coverage for isolated areas where 4G/5G networks may be limited

FEATURES

Dual modem 1 × 5G & 1 × 4G Cat 4 modems

SIM & eSIM[™]

With auto failover, backup WAN and other switching scenarios



Legacy network support

Backward compatible with 3G & 2G networks

Plug-n-play

Ready to be used out of the box



Outdoor router

IP55 durability for outdoor deployment

Dual-SIM

Auto failover and other switching scenarios



Outdoor 4G router



Outdoor 5G router with eSIM

IDEAL FOR

Construction sites

Remote outdoor monitoring

Rural & remote areas

conditions



OUTDOOR ROUTERS **OTD SERIES**

Go outdoors & brave the elements



Easy mounting

Integrated mounting bracket

Reliable connectivity for portable offices, trailers, and CCTV cameras under rainy and dust-exposed environmental conditions

Suitable for all kinds of remote outdoor projects monitoring solar panels, pipelines, offshore installations, and more

Connectivity for farms, cabins, and rural businesses, ensuring seamless Internet access and device integration even in harsh outdoor

CONNECTIVITY THAT BRAVES THE ELEMENTS



Mission-focused gateways

COMMON FEATURES

Perfect interface

4G LTE

Each device is tailor-made to support a specific interface

LTE Cat 1, Cat 4, and Cat 6 single-SIM cellular gateways



TRB143

Your LTE Cat 4 gateway to connectivity with Gigabit Ethernet

TRB145

TRB141 Your compact gateway to connectivity - with I/Os!

TRB142 RS232 for point-to-point

TRB160

RS485 for multipoint

communication

Your LTE Cat 6 gateway to connectivity with Gigabit Ethernet

YOUR NEEDS, YOUR SOLUTION



communication

TRB141 1/0



TRB142 RS232

Industrial-grade

Compact, durable, and designed for industrial applications

RMS

Compatible with our Remote Management System

M-Bus for seamless telemetry

IDEAL FOR

Smart metering

Two-way communication between smart meters and central systems for easy, real-time telemetry

Remote monitoring & management

Reliable, 24/7 monitoring and management of equipment, infrastructure, and environmental conditions



TRB143 M-Bus



TRB145 RS485



TRB160 USB Type-C

Uninterrupted 4G Interfaces

Dual-SIM with auto-failover and backup WAN

1 x Ethernet port, configurable I/Os, RS232, RS485



TRB256

LTE Cat 1/NB-IoT & 450 MHz

support

IDEAL FOR

Real-time telemetry

Utilities

Expert and secure utilities system management, real-time data gathering from energy meters, and predictive maintenance

Industrial applications

DUAL-SIM GATEWAYS TRB2 SERIES

Dual-SIM gateways for uninterrupted connectivity

193159





Compact

All you need, right in your pocket

GNSS

Location services and time synchronisation

Reliable connectivity for real-time data collection and transmission to and from remote equipment

RS232 and RS485 for easy connectivity in industrial machinery, such as PLCs, CNC machines, and more

GREATER RANGE, **BROADER APPLICATION**



Low-cost Stratum-1 NTP server

IDEAL FOR

Time synchronisation

Synchronising accurate, UTC-traceable time in both public and private networks

FEATURES

Network time synchronisation Accurate & low-cost NTP server Multiple interfaces Featuring RJ45, RS232, RS485 & I/Os

Security Authentication, access control & more

STEL TONIKA

Plug-and-play

Simple installation & configuration at minimum effort

FEATURES



5G SA/NSA, backward compatible with LTE Cat 20 & 3G

Throughput

Ultra-high cellular speeds of up to 1 Gbps

TRB500

Your gateway to a 5G world

IDEAL FOR

Automation

Maximum throughput at minimum latency for automation solutions demanding precision and highspeed processing

Smart agriculture

Enhancing operational efficiency in agriculture applications and enabling increased scalability of smart machines

STELTONIKA

D)

Low latency

Single-digit latency for mission-critical applications

Lit IP: 192.168.1.1

Compact

Smallest 5G gateway on the market

TSHOTO TSH030

UNMANAGED ETHERNET SWITCHES **TSWO SERIES**

Unmanaged switches for zero-hassle deployment

COMMON FEATURES

Ethernet 5 to 8 10/100 Ethernet ports

2-pin power

Simple and suitable for industrial applications

TSW010

Cover your switch basics effortlessly



8 ports, endless possibilities

TSW040

8 PoE+ ports for power & connectivity

IDEAL FOR

Remote management and control of water treatment plants, pump stations, sewage systems, and more

PoE lighting

systems



Easy mounting

Integrated DIN rail bracket for plug-and-play deployment

Industrial design

Anodised aluminium housing and panels

Water & wastewater management

Factory floor automation

Facilitates automation processes via connectivity for PLCs, sensors, actuators, and other industrial devices

Centralised control and reconfiguration flexibility for smart lighting

AFFORDABLE INDUSTRIAL SWITCHES



Plug-and-play No additional configuration needed, no time wasted

Easy mounting

Multiple DIN rail mounting options





4 PoE+ ports for your powering needs

For your 5-port solution needs



Tailor-made for automotive solutions

TSW114 5 ports & integrated DIN rail

bracket

TSW1 SERIES

Unmanaged switches with Gigabit versatility





Durable

Rugged aluminium housing withstanding -40 °C to 75 °C





IDEAL FOR

Smart building management

Connect your smart lighting, HVAC systems, occupancy sensors, and other devices

Mobile/autonomous surveillance systems

Connect your IP cameras, recording devices, and other devices for real-time monitoring and enhanced security

Industrial automation

High-speed connectivity for PLCs, HMI panels, industrial robots, and other automation and manufacturing devices

SWITCH TO AUTOMOTIVE PoE

needed, no time wasted

Plug-and-play No additional configuration

SFP 2 x SFP for long-range fibre-optic communication

TSW200

8 PoE+ Ethernet & 2 SFP for maximum efficiency



8 Ethernet, 2 SFP, zero hassles

IDEAL FOR

Surveillance power hub

Connect your IP cameras, NVRs, and access control systems in surveillance deployments

Smart agriculture

Energy storage systems

systems



8-PORT UNMANAGED SWITCHES **TSW2 SERIES**

Gigabit network distribution



Easy mounting

Integrated DIN rail bracket

Connect your soil moisture sensors, weather stations, and irrigation controllers via simple setup and operation

Seamless communication between solar panels and energy storage



Managed

L2 managed switches with L3 features

Protocol support

PROFINET, Ethernet/IP, LLDP, MRP, SNMP V2/V3, and more



TSW212

Network control with PoE+

For your advanced network

capabilities

control needs

IDEAL FOR

Manufacturing

surveillance cameras



8-PORT MANAGED SWITCHES **TSW2 SERIES**

Managed switches for expert applications

SFP & Ethernet

8 x Gigabit Ethernet and 2 x SFP

TswOS

Custom OS tailor-made for managed switches

Upgrade production lines to improve efficiency and reduce downtime

Highway tunnel infrastructure

Pivotal for ensuring continuous operation and safety via MRP support

Traffic control systems

Remote monitoring and management of traffic flow, signals, and



Tiny switch for big ambitions

IDEAL FOR

Emergency services & public safety

Ensures the resilience and continuity of communication systems during emergencies or power outages

TSF010

Flat switch with deep functionality

IDEAL FOR

Narrow & tightspace applications

Provides network connectivity for solutions low on space, such as information kiosks, digital signage displays, and ticketing machines

FEATURES

Extra tiny Only 102 × 25 × 81.5 mm Powering Can be powered via DC, AC, or Ethernet

Gigabit Ethernet 4 x Gigabit Ethernet ports

8

Durable Shock-resistant aluminium housing FEATURES

3-pin power Flexible and tailor-made for industrial use

Flat & compact

Flat and compact design weighing only 142 g

Easy mounting

Integrated DIN rail bracket for plug-and-play deployment

7-57 VDC

Ċ,

Suitable voltage range for industrial applications

TRM2 SERIES

TRM240

Connectivity - simple as that.

TRM200

LTE Cat 4 backward compatible with 3G/2G

TRM240

LTE Cat 1, backward compatible with 3G/2G



LTE Cat M1/NB-IoT, backward compatible with 2G

COMMON FEATURES

Plug-and play

No additional configuration needed, no time wasted

Micro USB

Powered via Micro USB

Industrial-grade 4G

Compact and durable devices with low power consumption

RM200

4G Single-SIM 4G modems

FEATURES

5G

Ultra-high cellular speeds of up to 3.4 Gbps

Future-proofing

Backward compatible with 4G (Cat 19) and 3G

TRM500

5G connectivity – simple as that.

USB Type-C

F.TELTONIKA

For simultaneous network data and powering

Compact

Small size, easy installation



PoE-in Can be powered via PoE

Sleek & easy

UV-stabilised plastic housing and integrated mounting bracket



Wi-Fi 4 for enhanced wireless

TAP200

Wi-Fi 5 for enhanced wireless

coverage in small & medium

coverage

spaces

IDEAL FOR

Public spaces



Wi-Fi ACCESS POINTS TAP SERIES

Seamless access, simple point

RMS

Free access to RMS Management for 24 months

Wi-Fi

802.11r, 802.11k, and 802.11v fast roaming support

Extends wireless coverage in larger areas, such as shopping malls, universities, airports, event venues, and more

People-counting solutions

Detection of Wi-Fi-enabled devices for people counting and motion analysis for establishing foot traffic patterns

Enterprise connectivity

Ensures reliable Wi-Fi connectivity in all areas, including meeting rooms, offices, and common areas

EASY ACCESS, EASIER MOUNTING



Industry-tailored wireless access

COMMON FEATURES

Wireless Seamless Wi-Fi 4 with Wi-Fi mesh & Fast Roaming

Ethernet

2 × 10/100 RJ45



Industrial, compact & affordable

DAP142

Industrial, compact &

affordable-with RS232

IDEAL FOR

Smart factory

industrial spaces

Legacy equipment



Power input

1 × 3-pin tailored for industrial use

Easy mounting

Integrated DIN rail bracket for plug-and-play deployment

Seamless connectivity for automation systems and equipment, boosting efficiency and enabling real-time monitoring

Industrial Wi-Fi mesh

Reliable wireless network with maximum coverage across large

Easy connection to legacy equipment, including CNC machines, PLCs, medical equipment, and more

PERFECT FOR WI-FI MESH NETWORKS

OUTDOOR ANTENNAS

Ultimate outdoor coverage

COMMON FEATURES

IP67

Water and dust-resistant for ultimate outdoor reliability

Omnidirectional

Designed for reliable signal coverage from every direction



FOR RUTX50

4G, Wi-Fi, GPS & Bluetooth Order code: PR1IC970

5G/4G, Wi-Fi & GPS Order code: PR1ICA70



4G & Wi-Fi Order code: PR1IC860 FOR RUT9 SERIES 4G, Wi-Fi & GPS Order code: PR1ICC60



62

Mounting bracket

Quick and easy pole/mast mounting

Perfect match

Compatible and designed to contain select Teltonika routers

SEAMLESS DEVICE INTEGRATION



A wide selection of industrial-grade accessories to perfect your networking solutions, including antennas, power supply adapters, and mounting solutions designed for optimal compatibility.

Can't find what you're looking for? Let us know and we'll get your fix.





DIN RAIL POWER SUPPLY, 15W Order code: PR321NP0

DIN RAIL POWER SUPPLY Order code: PR3PDNP0

POWERING OPTIONS



2-PIN POWER SUPPLY, 130W EU: PR318EUA / AU: PR313AU3



EU: PR320EUA / AU: PR320AUA US: PR320USA / UK: PR320UKA



2-PIN POWER SUPPLY, 62W EU: PR317EUA / AU: PR317AUA US: PR317USA / UK: PR317UKA



2-PIN POWER SUPPLY, 9W EU: PR3PREU6 / AU: PR3PRAU6 US: PR3PRUS6 / UK: PR3PRUK6





POWER SUPPLY, 24W EU: PR3P2EU3 / AU: PR3P2AU3 US: PR3P2US3 / UK: PR3P2UK3

POWER SUPPLY, 62W EU: PR3PWEU3 / AU: PR3PWAU3 US: PR3PWUS3 / UK: PR3PWUK3



4-PIN TO 4-PIN POWER CABLE Order code: PR2PP10B



4-PIN PLUG WITH CONTACT TERMINALS Order code: PR4MK04K



4-PIN POWER ADAPTER WITH I/O ACCESS Order code: PR5MEC21



4-PIN TO BARREL SOCKET ADAPTER Order code: PR2PD01B



AUTOMOTIVE POWER SUPPLY Order code: PR2AM20M



BAT120 POWER SUPPLY Order code: BAT120000000



POWER CABLE WITH 4-WAY OPEN WIRE Order code: PR2PL15B



POWER CABLE WITH 4-WAY SCREW TFRMINAL Order code: PR2FK20M





UNIVERSAL POWER SUPPLY, 24W Order code: PR315PS3

SINGLE PORT GIGABIT POE INJECTOR EU: PR322EU7 / UK: PR322UK7





POWER SUPPLY, 130W EU: PR313EU3 / AU: PR313AU3 US: PR313US3 / UK: PR313UK3



POWER SUPPLY, 18W EU: PR3PXEU3 / AU: PR3PXAU3 US: PR3PXUS3 / UK: PR3PXUK3



POWER SUPPLY, 9W EU: PR3PUEU3 / AU: PR3PUAU3 US: PR3PUUS3 / UK: PR3PUUK3 JP: PR3PUJP3



UNIVERSAL POWER SUPPLY, 9W Order code: PR3PUPS3



EU SINGLE PORT 10/100 MBPS PASSIVE PoE INJECTOR, 19 W Order code: PR323EUB



EU SINGLE PORT GIGABIT PASSIVE Poe INJECTOR. 24 W Order code: PR324EUB

ANTENNA OPTIONS



Wi-Fi MAGNETIC SMA ANTENNA Order code: PR1KRF30



5G COMBO MIMO MOBILE/GNSS/Wi-Fi **ROOF SMA ANTENNA** Order code: PR1KC640



5G MOBILE SMA ANTENNA Order code: PR1US540





COMBO QUAD MOBILE/GNSS ROOF SMA ANTENNA Order code: PR1KCL28

COMBO SISO MOBILE/GNSS/Wi-Fi ROOF SMA ANTENNA Order code: PR1KCS28



ANGLED COMPACT MOBILE ANTENNA Order code: PR1US450



Order code: PR1KRT25

STRAIGHT COMPACT MOBILE ANTENNA Order code: PR1CS450



GNSS ADHESIVE SMA ANTENNA Order code: PR1KSG30





5G COMBO MIMO MOBILE ROOF SMA ANTENNA Order code: PR1KC647

5G COMBO MIMO MOBILE/GNSS ROOF SMA ANTENNA Order code: PR1KCI49

MOUNTING OPTIONS



SURFACE MOUNTING KIT

Order code: PR5MEC12

RAIL HOLDER

Order code: PR5MEC24



COMPACT DIN RAIL KIT Order code: PR5MEC11







TSW1-SERIES REAR PANEL WITH DIN

RACK MOUNTING KIT Order code: PR5MEC26



MOBILE ADHESIVE SMA ANTENNA Order code: PR1AS420



Wi-Fi DUAL-BAND SMA ANTENNA Order code: PR14RD35



MOBILE MAGNETIC SMA ANTENNA Order code: PR1KS210

MOBILE SMA ANTENNA Order code: PR1US440



Wi-Fi DUAL-BAND MAGNETIC SMA ANTENNA Order code: PR1KRD30



Wi-Fi SMA ANTENNA Order code: PR1URF51



COMBO MIMO MOBILE/GNSS/Wi-Fi ROOF SMA ANTENNA Order code: PR1KCO28



COMBO MIMO MOBILE ROOF SMA ANTENNA Order code: PR1KCL25

MOBILE SMA ANTENNA WITH 450 MHz Order code: PR1US740

SMA CABLE EXTENSION Order code: PR2VM20M



DIN RAIL KIT ADAPTER Order code: PR5MEC23



DIN RAIL KIT Order code: PR5MEC00



SURFACE CLIP HOLDER KIT Order code: PR5MEC22



TSW2-SERIES REAR PANEL WITH DIN RAIL HOLDER Order code: PR5MEC25

OTHER

2x3-PIN CONNECTOR

Order code: PR4RS06K



2x8-PIN CONNECTOR Order code w/ screws: PR4IO17K Order code w/o screws: PR4IO16K





ETHERNET CABLE 1.5M Order code: PR2LA15B



USB 2.0 TYPE-A TO MICRO USB TYPE-B CABLE Order code: PR2US08M

CONNECTOR SET Order code: PR5MEC15



CONSOLE CABLE 1.8M

Order code: PR2UR18M



DUST COVERS Order code for RJ45: PR5MEC32 Order code for SFP: PR5MEC33

DEVICE COMPARISON

PRODUCT KEY Features	RUT140	RUT142	RUT200	RUT206	RUT241 eSIM	RUT260	RUT271	RUT301	RUT361	RUT901	RUT906	RUT951	RUT951 PoE+
5G							Redcap						
4G/LTE			Cat 4	Cat4	Cat 4	Cat 6	Cat4		Cat 6	Cat 4	Cat 4	Cat 4	Cat 4
2G/3G			2G/3G	3G/2G	2G/3G	3G			3G	2G/3G	2G/3G	2G/3G	2G/3G
CPU (MHz)	580	580	580	580	580	580	580	580	580	580	580	580	580
RAM (MB)	128	128	128	128	128	128	128	128	128	128	128	128	128
Flash memory (MB)	16	16	16	32	16	16	16	16	16	16	16	16	16
Active PoE-out													802.3 af/at
Active PoE-in				•									802.3 af/at
Passive PoE-in	•	•	•	•	•	•	•			•	•	•	
Power voltage (VDC)	∞ 2 9-30	9-30	9-30	9-57	9-30	9-30	9-30	9-30	9-30	9-30	9-30	9-30	9-57
SIM card slots	9-30 □ □ □ 0 2		1	2	1	1	1		1	2	2	2	2
eSIM	с – – – – – – – – – – – – – – – – – – –				•								•
Ethernet ports	2	2	2	2	2	2	2	5	2	4	4	4	4
Ethernet speed (Mbps)	100	100	100	100	100	100	100	100	100	100	100	100	100
Wi-Fi standard	n	n	n	n	n	n	n		n	n	n	n	n
GNSS											•		
I/Os			2		2	2	2	4	4	2	7	2	
RS232		•		•							•		
RS485				•							•		
Bluetooth													
USB								Host			Host		
Integrated bracket	•	•											
Grounding terminal	•	•											
RMS support	•	•	•	•	•	•	•	٠	•	•	•	•	•
RutOS	•	•	•	•	•	•	•	٠	•	•	•	•	٠

PRODUCT KEY FEATURES	RUT956	RUT976	RUTM08	RUTM09	RUTM10	RUTM11	RUTX08	RUTX09	RUTX10	RUTX11	RUTX12	RUTX14	RUTXR1
5G		Redcap											
4G/LTE	Cat 4	Cat4		Cat 6		Cat 6		Cat 6		Cat 6	2xCat 6	Cat 12	Cat 6
2G/3G	2G/3G			3G		3G		3G		3G	3G	3G	3G
CPU (MHz)	580	580	2×880	2×880	2×880	2×880	4×717	4×717	4×717	4×717	4×717	4×717	4×717
RAM (MB)	128	128	256	256	256	256	256	256	256	256	256	256	256
Flash memory (MB)	16	32	256	256	256	256	256	256	256	256	256	256	256
Active PoE-out													
Active PoE-in													
Passive PoE-in	•	•	•	•	•	•	•	•	•	•	•	•	
Power voltage (VDC)	9-30	9-30	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50
SIM card slots	2	2		2		2		2		2	2	2	2
eSIM ⊃													
Ethernet ports	4	4	4	4	4	4	4	4	4	4	5	5	5
Ethernet speed (Mbps)	100	100	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
Wi-Fi standard	n	n			ас	ас			ас	ас	ас	ас	ас
GNSS	•	•		•		•		•		•	•	•	
I/Os	7	7	2	2	2	2	2	2	2	2	2	2	
RS232	•	•											
RS485	•	•											
Bluetooth									•	•	•	•	
USB	Host	Host	Host										
Integrated bracket													
Grounding terminal			•	•	•	•	•	•	•	•	•	•	•
RMS support	٠	•	٠	•	٠	٠	•	•	٠	•	•	٠	•
RutOS	•	•	•	•	•	•	•	•	٠	•	•	٠	•

PRODUCT KEY FEATURES		RUTM30	RUTM31	RUTM50	RUTM51	RUTM52	RUTM54	RUTM55	RUTM56	RUTM59	RUTX50	RUTC50	OTD140	OTD500
5G		٠	•	•	•	2×5G	•	•	•	٠	•	•		•
4G/LTE		Cat 19	Cat 12	Cat 19	Cat 12	Cat20	Cat19	Cat19	Cat4/ Cat19	Cat19	Cat 20	Cat 19	Cat 4	Cat19
2G/3G		3G	3G		3G	3G	3G		2G/3G		3G	3G	2G/3G	3G
CPU (MHz)		2×880	2×880	2×880	2×880	2×880	2×880	880	2×880	2×880	4×717	2×1300	580	2×880
RAM (MB)		256	256	256	256	256	256	256	256	256	256	1024	128	256
Flash memory (MB)		256	256	256	256	256	256	256	256	256	256	8192	16	256
Active PoE-out													802.3 af/at	802.3 af/at
Active PoE-in													٠	•
Passive PoE-in		•	•	•	•	•	•	•	•	•	•	•		
Power voltage (VDC)	RS	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	9-50	42.5-57	42.5-57
SIM card slots	ROUTERS	2	2	2	2	2	2	2	2	2	2	2	2	2
eSIM	R C	٠	•*			٠	•	•	•			•		٠
Ethernet ports		2	2	5	5	5	5	5	5	5	5	5	2	2
Ethernet speed (Mbps)		1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	100	1000
Wi-Fi standard		ас	ас	ac	ас	ас	ас	ac	ас		ac	ах		
GNSS				•		٠	•	•	•	٠	•	•		
I/Os		2	2	2	2	2	2	4	2	2	2	2		
RS232								•						
RS485								•						
Bluetooth														
USB		Host	Host	Host	Host		Host	Host		Host	Host	Host		
Integrated bracket														
Grounding terminal		•	•	•	•	•	•	•	•	•	•	•		
RMS support		٠	•	٠	•	٠	•	•	•	٠	•	•	•	٠
RutOS		•	•	•	•	•	•	•	•	•	•	•	•	•

*Depends on the order code.

PRODUCT KEY FEATURES		NTPO01	TRB140	TRB141	TRB142	TRB143	TRB145	TRB160	TRB246	TRB256	TRB500
5G											•
4G/LTE			Cat 4	Cat 1	Cat 1	Cat 4	Cat 1	Cat 6	Cat 4	M1/NB	Cat 20
2G/3G			2G/3G	2G/3G	2G/3G	2G/3G	2G/3G	3G	2G/3G	NB2/ EGPRS	3G
CPU (MHz)		580	1200	1200	1200	1300	1200	1200	580	580	1500
RAM (MB)		128	128	128	128	256	128	128	128	128	256
Flash memory (MB)		16	512	512	512	512	512	256	16	16	512
Active PoE-out											
Active PoE-in											
Passive PoE-in			•			•		•			
Power voltage (VDC)		9-30	9-30	9-30	9-30	12-30	9-30	9-30	9-30	9-30	9-30
SIM card slots	ΥS		1	1	1	1	1	1	2	2	1
eSIM	ЕМАҮ										
Ethernet ports	GAT	1	1			1		1	1	1	1
Ethernet speed (Mbps)		100	1000			1000		1000	100	100	1000
Wi-Fi standard											
GNSS		٠							•	•	
I/Os		7	2	8	2	2	2	2	7	7	2
RS232		٠			•				•	•	
RS485		٠					•		•	٠	
Bluetooth											
USB			Client	Client	Client		Client	Power/ Data			Client
Integrated bracket											
Grounding terminal											
RMS support			٠	٠	٠	٠	٠	٠	٠	٠	•
RutOS		٠	•	•	•	•	•	•	•	•	•
M-Bus						•					

PRODUCT KEY FEATURES		TRM200	TRM240	TRM250	TRM500		TAP100	TAP200	DAP140	DAP142
5G					•					
4G/LTE		Cat4	Cat 1	M1/NB	Cat 19					
2G/3G		3G/2G	3G/2G	2G	3G					
CPU (MHz)							580	2×880	580	580
RAM (MB)							64	256	128	128
Flash memory (MB)							16	16	16	16
Active PoE-out										
Active PoE-in							٠	•		
Passive PoE-in									٠	•
Power voltage (VDC)		5	5	5	9-30	OINTS	44-57	44-57	9-30	9-30
SIM card slots	E M S	1	1	1	1	P O I				
Ethernet ports	MOD					ESS	1	1	2	2
Ethernet speed (Mbps)	2					0 0	100	1000	100	100
Wi-Fi standard						A	n	ac	n	n
GNSS										
I/Os										
RS232										•
RS485										
Bluetooth										
USB		Power/ Data	Power/ Data	Power/ Data	Power/ Data					
Integrated bracket							٠	•	•	•
Grounding terminal									٠	•
RMS support							٠	•	٠	•
RutOS							٠	•	•	•
M-Bus										

PRODUCT KEY FEATURES	TSW010	TSW030	TSW040	TSW100	TSW101	TSW110	TSW114	TSW200	TSW202	TSW210	TSW212	TSW304	TSF010
Managed									•		•		
MRP									•		٠		
STP/RSTP									•		•		
Profinet									•		•		
EtherNet/IP	HES								•		•		
QoS	0								•		•		
Passive PoE-in	• •					•	•					•	
Active PoE-out	ERNET		802.3 af/at	802.3 af/at	802.3 af/at			802.3 af/at	802.3 af/at				
Power voltage (VDC)	₩ ₩ ₩ ₩ ₩	7-57	7-57	7-57	9-30	9-30	9-30	7-57	7-57	7-57	7-57	7-57	7-57
Ethernet ports	5	8	8	5	5	5	5	8	8	8	8	4	5
SFP ports								2	2	2	2		
Ethernet speed (Mbps)	100	100	100	1000	1000	1000	1000	1000	1000	1000	1000	1000	100
Integrated bracket	•	•	•				•	•	•	•	•	•	•
Grounding terminal		•	•	•	•	•	•	•	•	•	•	•	•
RMS support									•		٠		
TswOS									•		•		







teltonika-networks.com

info@teltonika.lt